## **Maxforce Liquid Ant Bait**

Date of Issue: April 19th 2007

# 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product name: Maxforce® Liquid Ant Bait

Other names: None

Product code: Not available

**Recommended use:** A liquid ant bait for use in the management of certain pest ants.

Supplier: Bayer Environmental Science – A Business group of Bayer CropScience Pty Ltd

ABN 87 000 226 022

Address: 391 - 393 Tooronga Road, East Hawthorn

Victoria 3123, Australia

Telephone: (03) 9248 6888 Facsimile: (03) 9248 6800

Website: <a href="https://www.bayercropscience.com.au">www.bayercropscience.com.au</a>
Contact: Technical Manager (03) 9248 6888

**Emergency** 

**Telephone Number:** 1800 033 111 – Orica SH&E Shared Services

### 2. HAZARDS IDENTIFICATION

# NON-HAZARDOUS SUBSTANCE - NON-DANGEROUS GOOD

Not flammable.

Hazard designation: Not classified as hazardous according to criteria of Worksafe Australia

Risk phrases: Not applicable Safety phrases: Not applicable

ADG classification: Not "dangerous goods" for transport by road or rail according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail

SUSDP Exempt

classification:

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Concentration (g/L):
Imidacloprid	[138261-41-3]	0.05
Other ingredients (Non-hazardous)		~1340

**Maxforce Liquid Ant Bait** 

Date of Issue: April 19th 2007

#### 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Telephone 13 11 26), and follow the advice given. Show this Material Safety Data Sheet to a doctor.

**Inhalation:** Due to the nature of this product inhalation is unlikely.

**Skin contact:** If product gets on skin wash affected areas with plenty of soap and water. Seek medical

advice if irritation occurs.

**Eye contact:** Rinse immediately with copious quantities of water to remove material. Seek medical

assistance if irritation occurs.

**Ingestion:** Give plenty of water to drink. Never give anything by mouth to an unconscious person.

**First Aid Facilities:** Provide washing facilities in the workplace.

**Symptoms:** This product has a very low level of toxicity. Symptoms are unlikely unless very large

quantities are ingested.

Symptoms of intoxication that may arise if the product is mishandled include: apathetic state, depressed muscular tone, respiratory disturbance and trembling.

Muscular cramps are also possible in severe cases of poisoning.

Medical attention: Treat symptoms (nicotine-like effects) if sufficient exposure has occurred to allow them to

occur. Check blood pressure and pulse rate frequently since bradycardia and hypotonia are possible. Provide supportive measures for the respiratory function and cardiac action.

Give artificial respiration if signs of paralysis appear.

Additional therapeutic measures involve elimination of the substance from the body or

acceleration of its excretion (gastro-lavage, saline laxatives).

Antidote: none known.

Contraindications: Absorption promoting agents such as alcoholic beverages and milk. Oils and fats are of no special significance due to the low liposolubility of the active

ingredient.

#### 5. FIRE FIGHTING MEASURES

**Extinguishing media:** Sprayed water jet, foam, extinguishing powder, carbon dioxide, and sand.

Hazards from combustion

In the event of fire, the formation of very low levels of hydrogen chloride, hydrogen cyanide, carbon monoxide and nitrogen oxides may be anticipated. Do not breathe fumes.

products:

Wear full protective clothing and self-contained breathing apparatus.

Precautions for fire

Not flammable under normal conditions of use.

fighters:

## 6. ACCIDENTAL RELEASE MEASURES

Prevent spill from spreading or entering waterways or drains. Absorb spilt material and place in a sealable container for disposal. Do not smoke, eat or drink during the clean-up operation.

Maxforce Liquid Ant Bait

Date of Issue: April 19th 2007

#### 7. HANDLING AND STORAGE

**Handling:** Keep out of reach of children.

Storage: Store in the closed original container in a dry, cool, well ventilated area out of direct

sunlight. Do not store near any material intended for use or consumption by humans or

animals.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure standards:** NOHSC exposure standards have not been assigned for imidacloprid nor any of the

ingredients in this formulation

**Engineering controls:** Not applicable.

**Personal Protective** Personal Protective Measures: Avoid contact with skin during use.

**Equipment:** Personal Protective Equipment: Not required.

Industrial Hygiene: If clothing becomes contaminated with product wash off with soap and

water. If product on skin wash the area with soap and water.

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly

with soap and water.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear straw coloured liquid

Odour: Mild pleasant aroma
Vapour pressure: Not available

Vapour density: Not available Boiling point: >100 °C
Freezing/melting Not available

point:

Solubility: Not applicable

**Density:** 1.336 - 1.346 g/ccm @ 20°C

pH: Not availableFlash Point: Not applicableFlammability Not available

(explosive) limits:

Auto-ignition Not available

temperature:

partition coefficient:

Formulation: Ready to use liquid bait

Maxforce Liquid Ant Bait

Date of Issue: April 19th 2007

### 10. STABILITY AND REACTIVITY

**Chemical stability:** Stable under normal conditions of use.

Hazardous polymerisation:

Hazardous polymerization will not occur.

Conditions to avoid:

Not available

Incompatible materials:

Avoid strong oxidizing agents.

Hazardous decomposition

carbon monoxide and nitrogen oxides may occur.

products:

#### 11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

**Inhalation:** Due to the nature of the product, inhalation is unlikely to occur.

**Skin contact:** No known effects.

**Eye contact:** Not known to irritate eyes.

**Ingestion:** This product is made up primarily of food grade materials with very low levels of

imidacloprid and other additives. As such it has very low toxicity by the oral route.

In the event of fire, formation of small amounts of hydrogen chloride, hydrogen cyanide,

Other: None

ANIMAL TOXICITY DATA - PRODUCT:

Acute:

**Oral toxicity:** LD<sub>50</sub> rat: estimated >5000 mg/kg i.e. practically non-toxic.

**Dermal toxicity:** LD<sub>50</sub> rat: estimated >5000 mg/kg i.e. practically non-toxic.

**Inhalation toxicity:** LC<sub>50</sub> (4 h) rat: estimated >10000 mg/cubic metre i.e. practically non-toxic.

**Skin irritation**: Not irritating

**Eye irritation**: Not irritating

Sensitisation: Not available

#### **Chronic:**

Animal studies show no evidence of oncogenic effect, no evidence of carcinogenic effects and no teratogenic potential for imidacloprid.

# Maxforce Liquid Ant Bait

Date of Issue: April 19th 2007

### 12. ECOLOGICAL INFORMATION

Imidacloprid is toxic to certain aquatic species.

Do NOT contaminate ponds, waterways or drains with the chemical or used containers.

**Ecotoxicity:** Imidacloprid:

Fish toxicity:

237 mg/L (96 h); golden orfe (Leuciscus idus melanotis) LC<sub>50</sub>:  $LC_{50}$ : 211 mg/L (96 h); rainbow trout (*Oncorhynchus mykiss*)

Aquatic invertebrate toxicity:

 $EC_{50}$ : 85 mg/L (48 h) Daphnia magna

Algae toxicity:

 $EC_{50}$ : > 100 mg/L (72 h); green alga (*Pseudokirchneriella subcapitata*)

Bacteria toxicity:

 $EC_{50}$ : > 10000 mg/L; activated sludge (OECD 209)

Bird toxicity:

Acute oral LD<sub>50</sub>: 31 mg/kg; Japanese quail Acute oral LD<sub>50</sub>: 152 mg/kg; bobwhite quail

Environmental fate, persistence and

Imidacloprid shows a medium adsorption to soil. Classified as immobile in soil. Not

expected to leach.

degradation:

#### 13. DISPOSAL CONSIDERATIONS

#### 1) After intended use:

Rinse containers before disposal. Dispose of rinsings on soil away from edible plants, clear of waterways, desirable vegetation and tree roots. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

2) After spill or accident:

Dispose of sealed containers at an approved local waste disposal site.

#### 14. TRANSPORT INFORMATION

**UN number:** Not applicable Not applicable Proper shipping

name:

Not "dangerous goods" for transport by road or rail according to the Australian Code for the Class and

**Subsidiary Risk:** Transport of Dangerous Goods by Road and Rail.

Not applicable Packing Group: EPG: Not applicable Not applicable Hazchem code:

#### 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Act 1988

APVMA Approval Number: 60885

## Maxforce Liquid Ant Bait

Date of Issue: April 19th 2007

### 16. OTHER INFORMATION

**Trademark** 

information: Maxforce® is a Registered Trademark of Bayer

**Preparation** Replaces March 16<sup>th</sup> 2007 edition

**information:** Reasons for change: Correction of imidacloprid CAS No.

Data sources: Bayer CropScience Pty Ltd product safety data and published data

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

**END OF MSDS**